

S. No.	TYPE	Volt (v)	Capacity (Ah)	Nominal Overall Dimensions (mm)			Approx Weight (Kg)	Approx Acid Volume (L)
			10H.R.	L	W	H		
1	6N2-2A	6	2	70	47	96	0.6	0.1
2	6N2-2A-1	6	2	70	47	96	0.6	0.1
3	6N2-2A-2	6	2	70	47	96	0.6	0.1
4	6N2-2A-3	6	2	70	47	96	0.6	0.1
5	6N2-2A-4	6	2	70	47	96	0.6	0.1
6	6N2-2A-5	6	2	70	47	96	0.6	0.1
7	6N2-2A-6	6	2	70	47	96	0.6	0.1
8	6N2-2A-7	6	2	70	47	96	0.6	0.1
9	6N2-2A-8	6	2	70	47	96	0.6	0.1
10	6N2-2D*	6	2	70	47	104	0.6	0.1
11	6N2A-2C*	6	2	70	47	106	0.6	0.1
12	6N2A-2C-1	6	2	70	47	106	0.6	0.1
13	6N2A-2C-2*	6	2	70	47	106	0.6	0.1
14	6N2A-2C-3*	6	2	70	47	106	0.6	0.1
15	6N4-2A	6	4	71	71	96	0.9	0.2
16	6N4-2A-2	6	4	71	71	96	0.9	0.2
17	6N4-2A-3	6	4	71	71	96	0.9	0.2
18	6N4-2A-4	6	4	71	71	96	0.9	0.2
19	6N4-2A-5	6	4	71	71	96	0.9	0.2
20	6N4-2A-6*	6	4	71	71	96	0.9	0.2
21	6N4-2A-7	6	4	71	71	96	0.9	0.2
22	6N4-2A-8	6	4	71	71	96	0.9	0.2
23	6N4A-4D	6	4	58	62	131	1	0.2
24	6N4A-4D-1	6	4	58	62	131	1	0.2
25	6N4B-2A	6	4	100	47	96	1	0.2
26	6N4B-2A-1	6	4	100	47	96	1	0.2
27	6N4B-2A-2	6	4	100	47	96	1	0.2
28	6N4B-2A-3	6	4	100	47	96	1	0.2
29	6N4B-2A-4	6	4	100	47	96	1	0.2
30	6N4B-2A-5	6	4	100	47	96	1	0.2
31	6N4C-1B	6	4	71	71	105	0.9	0.2
32	6N4.5-1D	6	4.5	125	50	106	1.16	0.26
33	6N5.5-3D	6	5.5	90	70	100	1.1	0.3
34	6N5.5-1D	6	5.5	90	70	100	1.1	0.3
35	6N5.5-1D-1*	6	5.5	90	70	100	1.1	0.3
36	6N6-1B*	6	6	99	57	107	1.3	0.3

S. No.	TYPE	Volt (v)	Capacity (Ah)	Nominal Overall Dimensions (mm)			Approx Weight (Kg)	Approx Acid Volume (L)
			10H.R.	L	W	H		
37	6N6-1B-1*	6	6	99	57	107	1.3	0.3
38	6N6-3B	6	6	99	57	107	1.3	0.3
39	6N6-3B-1	6	6	99	57	107	1.3	0.3
40	6N6-1D	6	6	99	57	107	1.3	0.3
41	6N6-1D-2	6	6	99	57	107	1.3	0.3
42	6N6-1C	6	6	99	57	107	1.3	0.3
43	B39-6(6N7-1)	6	7	126	48	126	1.6	0.3
44	B49-6	9	08-Oct	91	83	161	2.2	0.5
45	6N11-2D	6	11	150	70	100	2.1	0.4
46	6N11A-1B	6	11	122	62	132	2.1	0.4
47	6N11A-3*	6	11	122	62	132	2.1	0.4
48	6N11A-4*	6	11	122	62	132	2.1	0.4
49	6N11A-3A	6	11	122	62	132	2.1	0.4
50	6N11A-3B	6	11	122	62	132	2.1	0.4
51	6N11A-4A	6	11	122	62	132	2.1	0.4
52	6N12A-2C(B54-6)	6	12	156	57	116	2.3	0.5
53	6N12A-2D(B54-6A)	6	12	156	57	116	2.3	0.5
54	6N12-1B	6	12	104	75	140	2.3	0.5
55	B38-6A	6	13	119	83	161	2.8	0.7
56	6YB8-3B(6YB8L-B)	6	8	120	71	95	1.5	0.3
57	6YB11-2D	6	11	150	71	100	2.3	0.4
58	12N3-3A	12	3	98	56	110	1.3	0.24
59	12N3A-3D(12N3-3D)	12	3	113	70	85	1.5	0.2
60	12N4-3B	12	4	120	70	92	1.5	0.3
61	12N5-3B	12	5	121	61	131	2	0.4
62	12N5-3B-2	12	5	121	61	131	2	0.4
63	12N5-4B	12	5	121	61	131	2	0.4
64	12N5.5-4A	12	5.5	138	61	131	2.4	0.42
65	12N5.5-4A-1	12	5.5	138	61	131	2.4	0.42
66	12N5.5-4B	12	5.5	138	61	131	2.4	0.42
67	12N5.5A-3B	12	5.5	103	90	114	2	0.48
68	12N6-3B(YB6L-B)	12	5.5(6)	135	70	95	2	0.4
69	12N6-4A(YB6-A)	12	5.5(6)	135	70	95	2	0.4
70	12N6-4B(YB6-B)	12	5.5(6)	135	70	95	2	0.4
71	12N6A-4B	12	5.5(6)	150	80	95	2.1	0.5
72	12N6.5-3B	12	6(6.5)	137	66	100	2	0.5
73	12N6.5A-4B(12N7)	12	6.5(7)	138	72	118	3	0.5
74	12N6.5B-4B(12N7B-4B)	12	6.5(7)	150	87	95	3	0.5
75	12N7-3A	12	7	137	76	134	3	0.48
76	12N7-3B	12	7	137	76	134	3	0.48
77	12N7-3B2	12	7	137	76	134	3	0.48
78	12N7-4A	12	7	137	76	134	3	0.48
79	12N7-4A2	12	7	137	76	134	3	0.48
80	12N7-4B	12	7	137	76	134	3	0.48
81	12N7A(B)-3A	12	7	151	61	131	3	0.5
82	12N7A(B)-4A	12	7	151	61	131	3	0.5
83	12N7C-3D	12	7	130	90	114	3	0.5
84	12N7CZ-3D	12	8	130	90	114	3	0.5

S. No.	TYPE	Volt (v)	Capacity (Ah)	Nominal Overall Dimensions (mm)			Approx Weight (Kg)	Approx Acid Volume (L)
			10H.R.	L	W	H		
85	12N7D-3B	12	7	137	78	150	3	0.8
86	12N9-3A	12	9	137	78	140	3.2	0.8
87	12N9-3A-1	12	9	137	78	140	3.2	0.8
88	12N9-3B	12	9	137	78	140	3.2	0.8
89	12N9-4B-1	12	9	137	78	140	3.2	0.8
90	12N10-3A	12	10	136	91	148	4	0.72
91	12N10-3A-1	12	10	136	91	148	4	0.72
92	12N10-3A-2	12	10	136	91	148	4	0.72
93	12N10-3B	12	10	136	91	148	4	0.72
94	12N10-3B-1	12	10	136	91	148	4	0.72
95	12N11-3A	12	11	136	91	158	4.3	0.8
96	12N11-3A-1	12	11	136	91	158	4.3	0.8
97	12N11-3B	12	11	136	91	158	4.3	0.8
98	12N12-3A	12	12	202	78	134	4.2	0.8
99	12N12-3B	12	12	202	78	134	4.2	0.8
100	12N12A-4A-1	12	12	135	81	161	4.2	0.72
101	12N14-3A	12	14	135	90	167	4.9	0.8
102	12N14-3B	12	14	135	90	167	4.9	0.8
103	12N16-3A	12	14	176	101	158	5.7	1.2
104	12N16-3B	12	16	176	101	158	5.7	1.2
105	12N16-4B	12	16	176	101	158	5.7	1.2
106	51814	12	18	186	81	170	6	1.1
107	12C16A-3B(51913)	12	16-20	186	81	170	4.6	1
108	12N18-3	12	18	206	91	164	6.2	1.2
109	12N18-3A	12	18	206	91	164	6.2	1.2
110	12N18-3B	12	18	206	91	164	6.2	1.2
111	12N24-3	12	24	186	125	178	7.9	1.8
112	12N24-3A	12	24	186	125	178	7.9	1.8
113	12N24-4	12	24	186	125	178	7.9	1.8